



**Computec AV LTD**

## **LG 42LG5020 42" LCD TV**



### **General**

Product Type	42" LCD TV
Digital Television	HD ready 1080p
Certification	
TV Tuner	1x analogue, 1x digital
Video Interface	Component, composite, HDMI, S-Video, SCART
HDMI Ports Qty	2 port(s)
PC Interface	VGA (HD-15)
USB Port	Yes
Conditional Access	Common Interface (CI) slot
HDCP compatible	Yes
Dimensions	With stand
Width	103 cm
Depth	29.4 cm
Height	73.5 cm
Weight	22 kg

**Computec AV Ltd, Unit 7 Dominion Business Park, Goodwin Road  
Edmonton, London, N9 0BG Email: [sales@computecgroup.com](mailto:sales@computecgroup.com)  
Tel. +44 (0)20 8807 2002 Fax. +44 (0)20 8807 3818**

## Display

Diagonal Size	42" - widescreen
Technology	TFT active matrix
Resolution	1920 x 1080
Display Format	1080p (FullHD)
Image Aspect Ratio	16:9
Dynamic Contrast Ratio	50000:1
Brightness	500 cd/m2
Progressive Scan	Progressive scanning (line doubling)
Widescreen Modes	Zoom 14:9, Conventional 4:3, Zoom, 16:9, Just
Viewing Angle	176 degrees
Viewing Angle (Vertical)	176 degrees
Pixel Response Time	5 ms
Display Menu Language	Danish, Hungarian, Czech , Croatian, Slovenian, English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Bulgarian, Serbian, Romanian
Colour Temperature Control	Yes (Warm/Medium/Cool)
Features	On-screen menu, DNle (Digital Natural Image engine), XD Engine technology

## TV Tuner

Analogue TV Tuner	PAL, SECAM
Reception System	SECAM-D, SECAM-B, SECAM-K, PAL-B, SECAM-G, PAL-G, PAL-I, PAL-D, SECAM-L, PAL-K

## Digital TV Tuner

Digital TV Tuner DVB-T

## Video Features

HDTV Ready	Built-in
Input Video Formats	480p, 720p, 1080i, 1080p, 480i, 576i, 576p
Teletext	Yes
Teletext Memory	1000 pages
Electronic Programme Guide	Digital EPG
Parental Channel Lock	Yes

NTSC Playback Built-in  
on PAL TV

## Remote Control

Type Remote control - infrared

## Audio System

Sound Output Stereo  
Mode  
Surround Mode Built-in  
Sound Effects SRS TruSurround XT  
Speakers 2 speakers  
Included  
Output Power / 20 Watt  
Total  
Features Auto volume adjustment  
Speaker(s) 2 x right/left channel speaker - built-in - 10 Watt

## Connections

Connector Type 2 x SCART ( 21 PIN SCART ) - rear 1 x component video input ( RCA phono x 3 ) - rear 1 x audio line-in ( RCA phono x 2 ) - rear 1 x digital audio output (optical) ( TOS Link ) - rear HDMI ( 19 pin HDMI Type A ) - rear 1 x RGB input ( 15 PIN HD D-Sub (HD-15) ) - rear 1 x audio line-in ( mini-phone stereo 3.5 mm ) - rear 1 x serial - rear 1 x HDMI ( 19 pin HDMI Type A ) - side 1 x headphones ( mini-phone stereo 3.5 mm ) - side 1 x composite video/audio input ( RCA phono x 3 ) - side 1 x S-Video input ( 4 PIN mini-DIN ) - side

## Stands & Mounts

Stand Included Built-in  
Stand Design Tabletop  
Flat Panel Mount 200 x 200 mm  
Interface

## Power

Power Device Power supply - internal  
Power 1 Watt  
Consumption  
Stand by / Sleep  
Power 275 Watt  
Consumption  
Operational

## Dimensions & Weight Details

Dimensions & Weight Details Panel without stand - 104 cm x 9.2 cm x 66.2 cm x 19.3 kg Panel with stand - 103 cm x 29.4 cm x 73.5 cm x 22 kg

## **Dimensions & Weight (Shipping)**

Width (Shipping) 133 cm  
Depth (Shipping) 25.7 cm  
Height (Shipping) 77.2 cm  
Weight 27 kg  
(Shipping)

## **Universal Product Identifiers**

Part Number 42LG5020