



Computeec AV LTD

## NEC 60XR5G 60" Plasma Screen



### Technical specifications

#### General

Product Type	60" plasma panel
Series	Showcase Series
Digital Television Certification	Not certified
TV Tuner	No tuner
Video Interface	Component, composite, HDMI, S-Video
HDMI Ports Qty	2 port(s)
PC Interface	VGA (HD-15)
HDCP compatible	Yes
Timer Functions	Standby, sleep, wake
Width	148 cm
Depth	12.6 cm
Height	88 cm
Weight	61.5 kg

## Display

Diagonal Size	60" - widescreen
Technology	Plasma (PDP)
Resolution	1365 x 768
Display Format	720p
Image Aspect Ratio	16:9
Colour Depth	Up to 1.07 billion colours
Progressive Scan	Progressive scanning (line doubling)
Widescreen Modes	Zoom 14:9, Zoom, Normal, Stadium, Anamorphic
Viewing Angle	160 degrees
Viewing Angle (Vertical)	160 degrees
Pixel Pitch	0.97mm
Max V-Sync Rate	85 Hz
Max H-Sync Rate	80 kHz
Display Menu Language	English, German, French, Italian, Portuguese, Swedish, Russian, Spanish
Backlight Life	60,000 hour(s)
Colour Temperature Control	Yes (High/Mid/Mid Low/Low)
Picture Adjustment	Theat.1/Theat.2/Normal/Bright/Default
Features	Video noise reduction, screen saver, anti-reflective filter, split screen, Advanced AccuBlend technology, Mass Area Superior Sampling (MASS), AccuCrimson Filter, ISF Calibration Ready

## TV Tuner

Multi-channel Preview	Picture-in-picture (PIP)
-----------------------	--------------------------

## Video Features

Analogue Video Input Signals	PAL, SECAM, NTSC 3.58, NTSC4.43
Input Video Formats	480p, 720p, 1080i, 1080p, 480i, 525i, 525p
Supported Computer Resolutions	1024 x 768 (XGA), 640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 848 x 480, 852 x 480, 1360 x 768
Closed Caption Capability	Yes

## Remote Control

Type	Remote control - infrared
------	---------------------------

## Audio System

Sound Output Mode	Stereo
Audio Controls	Balance, bass, treble
Speakers Included	Speakers not included
Output Power / Total	18 Watt

## Connections

Connector Type	1 x composite video input ( RCA phono ) 1 x S-Video input ( 4 PIN mini-DIN ) 3 x audio line-in ( RCA phono x 2 ) 2 x HD component input ( RCA phono x 3 ) 1 x serial ( 9 PIN D-Sub ) 2 x HDMI ( 19 pin HDMI Type A ) 1 x RGB input ( 15 PIN HD D-Sub (HD-15) ) 2 x remote control ( mini-phone 3.5mm )
----------------	--

## Miscellaneous

Cables Included	1 x VGA cable
Compliant Standards	FCC Class B certified, CSA, CAN/CSA-E60065-00, UL 6500

## Power

Power Device	Power supply - internal
Voltage Required	AC 120 V ( 60 Hz )
Power Consumption Stand by / Sleep	0.8 Watt
Power Consumption Operational	440 Watt

## Manufacturer Warranty

Service & Support	3 years warranty
Service & Support Details	Limited warranty - parts and labour - 3 years Limited warranty - plasma display - 1 year

## Universal Product Identifiers

Part Number	50031832
-------------	----------